

TEC™

AccuColor®
Grout
& Caulk
Color
Selector



PORTLAND CEMENT
GROUTS

EPOXY GROUT

READY-TO-USE GROUT



TEC PREMIUM GROUTS AND CAULKS

Formulated to provide the optimal blend of performance, handling and appearance.

AccuColor XT™ Next Generation Grout

AccuColor XT grout is formulated to be highly resistant to common stains and mold and mildew. The unique next-generation technology provides extremely durable grout joints that resist cracking and wear in residential to extra heavy commercial applications. Mixed with water, AccuColor XT grout exceeds ANSI A118.7 specifications for commercial cement grout and can be used for exterior applications in freeze, thaw conditions. AccuColor XT grout chemically controls the curing process to help ensure accurate and consistent color across the installation.

- Use Sanded formula (TA-585) for grouting tile joints 1/8" to 1/2" wide in residential to extra heavy commercial applications.
- Use Unsanded formula (TA-525) for grouting small tile joints up to 1/8" wide.

AccuColor® Premium Grout

A polymer enhanced portland cement grout that's specially formulated to provide highly wear-resistant color consistent joints. Meets ANSI A118.6 specifications.

- Use Sanded formula (TA-650) for grouting tile joints 1/8" to 1/2" wide in residential to extra heavy commercial applications.
- Use Unsanded formula (TA-620) for grouting small tile joints up to 1/8" wide.
- For exterior use in freeze/thaw conditions or other ANSI A118.7 applications, mix with Acrylic Grout Additive (TA-869) or use AccuColor XT™ Next Generation Grout.

AccuColor EFX™ Epoxy Special Effects Grout

A 100% solids epoxy with outstanding stain and chemical resistance, excellent UV color stability, and easy installation and clean-up. AccuColor EFX offers 700+ grout colors to choose from with optional special effect enhancers. Use for floors and countertop joints 1/16" to 1/2" wide and wall joints 1/16" to 1/4" wide. Exceeds ANSI A118.3 specifications. Interior use only as a mortar. Interior/exterior use as a grout.

AccuColor Easy™ Ready-To-Use Grout

AccuColor Easy grout is a ready-to-use, color-true grout that is specially formulated to resist tough stains, mold and mildew. Its unique patented formula resists shrinkage, cracking and fading, and can be used in dry and intermittent wet applications. Can also be used to refresh or repair old grout. Use for 1/16" to 1/2" grout joints.

AccuColor® Acrylic Latex Caulk

Color-matched to all 32 AccuColor grouts and formulated to contain a special silicone additive which promotes greater adhesion and longer life. Meets ASTM C834 standards. For interior/exterior use.

AccuColor 100™ 100% Silicone Sealant

AccuColor 100 sealant is a high performance 100% silicone sealant designed to provide a flexible, long lasting, and water resistant seal. Use for swimming pools, spas, fountains, and other wet area applications. Designed to match the most popular TEC® grout colors. Meets ASTM C920 Type S, NS, Class 25.

Choose the grout color to achieve the effect you want.



Looking for a grid effect to emphasize and frame each tile? Go with a contrasting grout color. For a subtle, blended background effect, closely match grout and tile colors, or add more depth with a slightly contrasting grout. TEC AccuColor® grouts are formulated to help ensure consistent color under variable environmental conditions.

Coverage

AccuColor® (TA-650) and AccuColor XT™ (TA-585) Sanded Grouts

Approximate Coverage per Pound (in Square Feet)				
Tile Size	Joint Width			
	1/8"	1/4"	3/8"	1/2"
1" x 1" x 1/4"	2.04			
2" x 2" x 1/4"	3.83			
4" x 4" x 1/2"	3.64	1.88	1.30	1.01
4" x 8" x 1/2"	4.86	2.48	1.69	1.30
6" x 6" x 1/2"	5.46	2.73	1.92	1.44
8" x 8" x 5/16"	11.66	5.83	3.89	2.91
8" x 8" x 1/2"	7.29	3.64	2.43	1.82
10" x 10" x 5/16"	14.57	7.29	4.86	3.64
12" x 12" x 5/16"	17.49	8.74	5.83	4.37
16" x 16" x 5/16"	21.86	10.93	7.29	5.46
18" x 18" x 5/16"	24.98	12.49	8.33	6.25
24" x 24" x 5/16"	34.97	17.49	11.66	8.74

AccuColor® (TA-620) and AccuColor XT™ (TA-525) Unsanded Grouts

Approximate Coverage per Pound (in Square Feet)					
Tile Size	Joint Width		Tile Size	Joint Width	
	1/16"	1/8"		1/16"	1/8"
3/8" x 3/8" x 1/4"	1.67		6" x 8" x 1/4"	30.49	15.24
1" x 1" x 1/4"	4.45	2.23	8" x 10" x 1/4"	39.53	19.76
2" x 2" x 1/4"	8.90	4.45	12" x 12" x 3/8"	35.56	17.78
4 1/4" x 4 1/4" x 1/4"	18.90	9.44	16" x 16" x 3/8"	47.50	23.70
6" x 6" x 1/4"	26.67	13.33	24" x 24" x 3/8"	71.00	35.50

Clean, restore and protect your grout, tile and stone with the Premium TEC® Tile & Stone Care System.

Whether you want to clean, restore or protect — the TEC brand's got you covered with the most advanced care and maintenance system available. Each one is specially formulated and tested to meet the unique needs of tile and stone surfaces, as well as grouts. And because all TEC products are chemically engineered to work with one another — you have a convenient single source for virtually any tile and stone care need.






910 Bright White³ △ s,u




931 Standard White^{1,2} △ s,u ○ □



902 Ivory³ △ s,u



906 Cornsilk² △ s,u




988 Pearl³ △ s,u



950 Kahlua Cream²



903 Birch³ △ s,u



940 Antique White² △ s,u ○




991 Parchment³ △ s




984 Almond² △ s,u ○ □



985 Sand³



961 Sandstone Beige³ △ s,u ○ □




915 Light Smoke³ △s,u □




945 Light Buff² △s,u ○ □




944 Light Chocolate² △s




948 Clay³




982 Summer Wheat³ △s




969 Coffee² △s ○ □




932 Mocha² □




973 Warm Taupe² ○




934 DeLorean Gray² ○ □



953 Starry Night⁴




957 Sage⁴




990 Fern⁴



955 Vinca⁴



933 Standard Gray^{1,2} △s




908 Dove Gray²



949 Silverado³ △s,u □



939 Mist²



927 Light Pewter² △s □



929 Charcoal Gray² △s □



941 Raven² △s,u □



997 Bronze (AccuColor EFX™—Special Order)



998 Silver (AccuColor EFX™—Special Order)



999 Gold (AccuColor EFX™—Special Order)

Available in all 32 colors:

AccuColor® Premium Grout, Sanded and Unsanded
AccuColor® Acrylic Latex Caulk, Sanded and Unsanded

Available in select colors:

- △ AccuColor100™ 100% Silicone Sealant
- △ AccuColor XT™ Next Generation Grout
- “S”=sanded “U”=unsanded
- AccuColor Easy™ Ready-to-Use Grout
- AccuColor EFX™ Epoxy Special Effects Grout

Color Categories for pricing:

“1” Indicates color Group 1, “2” Indicates color Group 2,
“3” Indicates color Group 3, “4” Indicates color Group 4

Colors shown are reproductions and may vary from actual product.

TEC™

SPECIALTY CONSTRUCTION
BRANDS, INC.

1105 South Frontenac Street
Aurora, IL 60504-6451
www.tecspecialty.com